

TECHNICAL REPORT FOR EU TYPE-EXAMINATION CERTIFICATE of Personal Protective Equipment (PPE)

EU TYPE EXAMINATION No:

UE-000910/00

APPLICATION DATE:

29/08/2024

DATE OF ISSUE:

07/02/2025

APPLICANT:

RESTYLE WEAR B.V.
Oosteinderweg 127 A + B, 1432AH, Aalsmeer
THE NETHERLANDS

PPE TYPE:

PROTECTIVE CLOTHING FOR MOTORCYCLE RIDERS: JACKET AND
TROUSER

REFERENCE (PPE):

CE-GP PRO Next Level Jacket and Trouser

INDEX:

1. PPE identification
2. Certification scope
3. Documentation submitted
4. Correspondence between this European Standard and Annex II of Regulation (EU) 2016/425 on PPE
5. Comfort, fit and ergonomics evaluation
6. Sizing evaluation
7. Impact protector location and fixation evaluation
8. Structurally strong seams (SSS). General
9. Additional garment construction evaluation
10. Summary of results
11. Conclusion

ANNEX.- EU Type-Examination Certificate

1. PPE IDENTIFICATION

1.1 Description and photograph

Motorcycle leather jacket and trouser composed of Outer shell: Cow leather / Lining: Internal mesh. It is produced in black, black/blue, black/beige, black/fluo, black/green, black/neon red, black/red, black/white, in ladies version and men version. It presents shoulder, elbow, back, hip and knee protectors.



1.2 Description of the components

PPE components according to the information supplied by the manufacturer:

| SER | ART CODES | COLORS | DESCRIPTION | FUNCTION | SUPPLIER |
|-----|---------------|--------------------|----------------------|--------------------------|---------------|
| 1. | RES-01-10-001 | Black | Cow Leather | MAIN BODY | Rofag Leather |
| 2. | RES-01-10-002 | White | Cow Leather | MAIN BODY | Rofag Leather |
| 3. | RES-01-10-003 | Flourescent Yellow | Cow Leather | MAIN BODY | Rofag Leather |
| 4. | RES-01-10-004 | Orange/Neon Red | Cow Leather | MAIN BODY | Rofag Leather |
| 5. | RES-01-10-005 | Blue | Cow Leather | MAIN BODY | Rofag Leather |
| 6. | RES-01-10-007 | Green | Cow Leather | MAIN BODY | Rofag Leather |
| 7. | RES-01-10-024 | Silver | REFLECTOR | BODY DIFFERENT POSITION | Reliance |
| 8. | RES-01-10-025 | Black | Neopreen | inside collar | Reliance |
| 9. | RES-01-10-026 | Black | Mesh Lining | UNDER ARM VENT | Reliance |
| 10. | RES-01-10-030 | Black | Foml Mesh | Pocket | Reliance |
| 11. | RES-01-10-033 | Black | Velcro Loop | WAIST ASJUSTMENT | Reliance |
| 12. | RES-01-10-035 | Black | Foam Sheet | BACK waistband | Reliance |
| 13. | RES-01-10-038 | Black | QUILT | Thermo Lining | Reliance |
| 14. | RES-01-10-039 | Silver | QUILT | Thermo Lining | Reliance |
| 15. | RES-01-10-040 | Black | 4 way Stretch Fabric | Back legs / Front (Pant) | Reliance |
| 16. | RES-01-10-041 | Black | Reissa | THERMO LINING | Reliance |
| 17. | RES-01-10-042 | Black | Lycra Fabric | CONNECTION ZIP | Reliance |
| 18. | RES-01-10-033 | Black | Velcro Loop | WAIST ASJUSTMENT | Reliance |
| 19. | | Beige | Cow Leather | MAIN BODY | MS Leather |
| 20. | | Red | Cow Leather | MAIN BODY | Leather one |

1.3 Sizes

The size chart supplied by the manufacturer:

SIZE CHARTS Men.

| Size | Chest Sizing | Waist Sizing | Hip Sizing | Height |
|------|--------------|--------------|------------|---------|
| XS | 94-97 | 71-74 | 83-86 | 172-174 |
| S | 98-101 | 76-79 | 88-81 | 174-176 |
| M | 102-105 | 81-84 | 93-96 | 176-178 |
| L | 106-109 | 86-89 | 98-101 | 178-180 |
| XL | 110-113 | 91-94 | 103-106 | 180-182 |
| 2XL | 114-117 | 96-99 | 108-111 | 182-184 |
| 3XL | 118-121 | 100-102 | 119-122 | 186-188 |
| 4XL | 122-125 | 103-105 | 119-122 | 186-188 |
| 5XL | 126-129 | 106-108 | 124-127 | 188-190 |
| 6XL | 132-135 | 109-111 | 128-131 | 190-192 |
| 7XL | 136-139 | 112-115 | 132-134 | 193-196 |

USER'S SIZE CHART _WOMEN (body measurements)

| LONG SIZE | CHEST CIRCUMFERENCE | WAIST CIRCUMFERENCE | HIP CIRCUMFERENCE |
|-----------|---------------------|---------------------|-------------------|
| XS | 70 - 73 | 59 - 62 | 80 - 83 |
| S | 74-77 | 63-66 | 84-87 |
| M | 78-81 | 67-70 | 88-91 |
| L | 82-85 | 71-74 | 92-95 |
| XL | 86-89 | 75-78 | 96-98 |
| XXL | 90-93 | 79-81 | 99-101 |
| 3XL | 94-97 | 82-85 | 102-104 |
| 4XL | 98-102 | 86-91 | 105-110 |
| 5XL | 103-107 | 92-96 | 111-116 |
| 6XL | 108-113 | 97-102 | 117-121 |
| 7XL | 114-119 | 103-108 | 122-126 |

1.4 Samples given for certification

On 10/09/2024, we received in the laboratory a pair of jackets and a pair of trouser in with protectors to test and separate material.

2. CERTIFICATION SCOPE

- **EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021** Protective clothing: General requirements
- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements
 - Risk of fall from motorcycle or another accident.
 - Risk of impact with the riding surface, with the rider’s motorcycle, conflicting vehicles, and other objects.
 - Risk of abrasion from the riding surface.

3. DOCUMENTATION SUBMITTED

Technical documentation, including the next points:

- Complete description of the PPE and of its intended use
- An assessment of the risks against which the PPE is intended to protect
- List of the essential health and safety requirements that are applicable to the PPE
- Design and manufacturing drawings and schemes of the PPE and of its components and explanations
- Reference of the harmonized standards and/or other technical specifications
- Reports on the tests carried out to verify the conformity of the PPE
- A description of the means used by the manufacturer during the production (Module C)
 - Manufacturer’s instructions
 - Marking
 - Declaration of conformity

4. CORRESPONDENCE BETWEEN THIS EUROPEAN STANDARD AND ANNEX II OF REGULATION (EU) 2016/425 ON PPE

- **EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021** Protective clothing: General requirements

| Essential Health and Safety Requirements, according to Annex II of Regulation (UE) 2016/425 | Clause(s) / sub-clause(s) of the standard EN ISO 13688:2013/A1:2021 | Result |
|---|---|--|
| 1.2.1 Absence of risk and other inherent nuisance factors | 5.3 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.2.1.1 Suitable constituent materials | 4.2 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.2.1.2 Satisfactory Surface condition of all PPE parts in contact with the user | 4.4 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.4 Manufacturer's instructions and information | 8 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 2.12 PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | 6; 7 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |

- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements

| Essential Health and Safety Requirements, according to Annex II of Regulation (EU) 2016/425 | Clause(s) / sub-clause(s) of the standard EN 17092-2:2020 | Result |
|--|---|--|
| 1.1.1 Ergonomics | 4.7.9 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.1.2 Levels and classes of protection | 4.3 - 4.4 - 4.5 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.2 Innocuousness of PPE | 4.1.2 - 4.8 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.3.1 Adaptation of PPE to user morphology | 4.2.1 - 4.2.2 - 4.6.2 - 4.6.3 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.3.3 Compatibility of different types of PPE intended for simultaneous use | 4.2.1; 4.2.2; 4.6.2 and 4.6.3 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.3.4 Protective clothing containing removable protectors | 4.2.1 - 4.2.2 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 1.4 Manufacturer's instructions and information | 6 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 2.1 PPE incorporating adjustment systems | 4.6.2 - 4.6.3 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 2.9 PPE incorporating components which can be adjusted or removed by the user | 4.2 - 4.6 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 2.12 PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | 5 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 3.1 Protection against mechanical impact; Impact caused by falling or ejecting objects and collision of parts of the body with an obstacle | 4.2 - 4.3 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |
| 3.3 Protection against mechanical injury | 4.2 - 4.3 - 4.4 - 4.5 - 4.6 - 4.7 | Meet <input checked="" type="checkbox"/> |
| | | Not meet <input type="checkbox"/> |
| | | Not applicable <input type="checkbox"/> |

5. COMFORT, FIT AND ERGONOMICS EVALUATION

- **EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021** Protective clothing – General requirements.

| Requirement |
|--|
| After the comfort evaluation according to point 4.4 of EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021, the PPE is determined to be: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements

| Requirement |
|---|
| After the evaluation of fit and ergonomics according to point 4.8 of Standard EN 17092-2:2020, the PPE is determined: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

6. SIZING EVALUATION

- **EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021** Protective clothing: General requirements

| Requirement |
|--|
| After evaluation of the sizing according to point 6 and Annex D of Standard EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021, it is determined that the PPE is: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

7. IMPACT PROTECTOR LOCATION AND FIXATION EVALUATION

- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements

| Requirement |
|--|
| After the evaluation of the impact protector fixation according to point 4.2.2 of Standard EN 17092-2:2020, the PPE is determined: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

8. STRUCTURALLY STRONG SEAMS (SSS). GENERAL

- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements

| Requirement |
|--|
| After the evaluation of the structurally strong seams (SSS) according to point 4.4.1 of Standard EN 17092-2:2020, the PPE is determined: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

9. ADDITIONAL GARMENT CONSTRUCTION EVALUATION

- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements

| Requirement for structurally closures |
|---|
| After the evaluation of the structurally closures according to point 4.7.2 of Standard EN 17092-2: 2020, the PPE is determined: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

| Requirement for pockets |
|--|
| After the evaluation of the pockets according to point 4.7.4 of Standard EN 17092-2:2020, the PPE is determined: |
| Conforming <input checked="" type="checkbox"/> |
| Non-conforming <input type="checkbox"/> |

10. SUMMARY OF RESULTS

| LEGEND RESULTS | |
|----------------|----------------|
| M | Meet |
| NM | Not meet |
| NA | Not applicable |
| NT | Not tested |

- EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021 Protective clothing: General requirements

| Test | BE APLICATED | STANDARD | REQUERIMENTS | REPORT No. | RESULT |
|--|--------------------------------------|--|--|---|--------|
| Cr (VI) content point 4.2 | All leather materials | ISO 17075 | EN ISO 13688:2013, point 4.2, a) Shall not exceed < 3mg/kg | AV224-448 / AV224-452 / AV224-451 / AV224-447 / AV224-450 / AV224-449 / 17936-23 / 73213310162 | M |
| Nickel release point 4.2 | Metallic material | EN 1811 | EN ISO 13688:2013, point 4.2, b) Shall have a release of nickel of less than < 0,5µg/cm ² per week. | NA | NA |
| pH point 4.2 | All textile and leather materials | Textile ISO 3071 Leather ISO 4045 | EN ISO 13688:2013, point 4.2 c) Greater than 3,5 and less than 9,5 | AV224-448 / AV224-452 / AV224-451 / AV224-447 / AV224-450 / AV224-449 / 11290-24 / AV224-423 / AV224-428 / AV224-426 / AV224-445 / AV224-433 / AV224-421 / AV224-420 / AV224-419 / AV224-444 / AV224-418 / cm-23-3113-6 / 17936-23 / 73213310162 | M |
| Azo colorants which release carcinogenic amines listed point 4.2 | All textile and leather materials | EN 14362-1 ⁽¹⁾ | EN ISO 13688:2013, point 4.2 Shall be no detectable | 73243110306 / 73243110311 / 73243110307 / 73243110309 / 73243110310 / 73243110308 / 11290-24 / 14-003155 / 14-003183 / 14-003173 / 14-003152 / 14-003187 / 14-003186 / 14-003161 / | M |

| | | | | | |
|--|--------------------------------------|--|--|--|----|
| | | | | 14-003174 / 14-003156 / 14-003175 / cm-23-3113-6 / 17936-23 / 73213310162 | |
| Ergonomics point 4.4 | Protective clothing | ISO 13688:2013, point 4.4 and EN 13921 | EN ISO 13688:2013, point 4.4 and Annex C | Point 5 of this report | M |
| Dimensional change, after treatment point 5.3 | Protective clothing | Washed ISO 5077 | EN ISO 13688:2013, point 5.3 ≤ ±5% | NA | NA |
| | | Dry cleaned ISO 3175-1 | | | |
| General size designation point 6 | Protective clothing | ISO 3635, ISO 13688:2013, point 6 and Annex D | EN ISO 13688:2013, point 6 and Table 1 | Point 6 of this report | M |
| Marking point 7 | EN ISO 13688:2013, point 7 y Annex E | | | NA | M |
| Information supplied by the manufacturer point 8 | EN ISO 13688:2013, point 8 | | | NA | M |

⁽¹⁾The Azo colorants are tested according to ISO 17234-2:2011 and ISO 17234-1:2020 when leather material.

- **EN 17092-2:2020** Protective garments for motorcycle riders – Part 2: Class AAA garments – Requirements

| TEST | BE APLICATED | STANDARD | REQUERIMENTS | REPORT No. | RESULT | | | | | | | | | | |
|--|---|-------------------------------|---|---|---|---|-----|---|-----|---|-----|--|---|--------------------|---|
| Innocuousness point 4.1.2 | PPE materials and parts | EN ISO 13688:2013, point 4.2 | EN 17092-2:2020, point 4.1.2 | See point 4.2 from above table | M | | | | | | | | | | |
| Impact energy absorption point 4.2.1 | Impact protectors: H-7002 K-791:K S-790:S E-791:E W-7002 | EN 1621-1/-2/-3/-4:2012 | All impact protectors present in a garment shall meet at least the Level 1 requirements, according to the Table 1 | Certificates: 2777/15200-01/E00-00 UE-000316/00 2777/15212-01/E00-00 | M | | | | | | | | | | |
| Impact protector location and fixation point 4.2.2 | Impact protectors | EN 17092-1: 2020, point 5.5.2 | EN 17092-2:2020, point 4.2.2 | Point 7 of this report | M | | | | | | | | | | |
| Impact abrasion resistance point 4.3 | SSL: Stretch fabric Cowhide leather / Kangaroo leather | EN 17092-1:2020, point 5.4 | EN 17092-2:2020, point 4.3 <table border="1" data-bbox="794 1563 1161 1727"> <thead> <tr> <th>Zones</th> <th>Impact abrasion resistance requirements (rpm / Darmstadt test method)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>707</td> </tr> <tr> <td>2</td> <td>442</td> </tr> <tr> <td>3</td> <td>265</td> </tr> </tbody> </table> | Zones | Impact abrasion resistance requirements (rpm / Darmstadt test method) | 1 | 707 | 2 | 442 | 3 | 265 | AR-24-YL-010690-01 | M | | |
| Zones | Impact abrasion resistance requirements (rpm / Darmstadt test method) | | | | | | | | | | | | | | |
| 1 | 707 | | | | | | | | | | | | | | |
| 2 | 442 | | | | | | | | | | | | | | |
| 3 | 265 | | | | | | | | | | | | | | |
| Structurally strong seams point 4.4 | SSS in the SSL Zone 1, 2 and 3 | EN 13594:2015, Annex B. | EN 17092-2:2020, point 4.4.1 and 4.4.2 <table border="1" data-bbox="794 1783 1161 1968"> <thead> <tr> <th>Zones</th> <th>Seam Strength (N/mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12</td> </tr> <tr> <td>2</td> <td>12</td> </tr> <tr> <td>3</td> <td>8</td> </tr> <tr> <td>Protector pocket material (if present)</td> <td>4</td> </tr> </tbody> </table> | Zones | Seam Strength (N/mm) | 1 | 12 | 2 | 12 | 3 | 8 | Protector pocket material (if present) | 4 | AR-24-YL-010690-01 | M |
| Zones | Seam Strength (N/mm) | | | | | | | | | | | | | | |
| 1 | 12 | | | | | | | | | | | | | | |
| 2 | 12 | | | | | | | | | | | | | | |
| 3 | 8 | | | | | | | | | | | | | | |
| Protector pocket material (if present) | 4 | | | | | | | | | | | | | | |

| Structurally strong seams General point 4.4.1 | Garment | EN 17092-4:2020, point 4.4.1 | Seams shall meet the following requirements, according to their zones, which are determined according to EN 17092-1:2020, point 5.2 | Point 8 of this report | M | | | | | | | | | | |
|---|-------------------------------------|---|---|------------------------|-------------------|---|----|---|----|---|----|--|----|--------------------|---|
| Tear strength point 4.5 | All external fabrics | EN ISO 3377-1:2011 (leather) EN ISO 4674-1:2016, method B (others) | EN 17092-2:2020, point 4.5 <table border="1"> <thead> <tr> <th>Zones</th> <th>Tear strength (N)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>50</td> </tr> <tr> <td>2</td> <td>50</td> </tr> <tr> <td>3</td> <td>35</td> </tr> <tr> <td>Protector pocket material (if present)</td> <td>10</td> </tr> </tbody> </table> | Zones | Tear strength (N) | 1 | 50 | 2 | 50 | 3 | 35 | Protector pocket material (if present) | 10 | AR-24-YL-010690-01 | M |
| Zones | Tear strength (N) | | | | | | | | | | | | | | |
| 1 | 50 | | | | | | | | | | | | | | |
| 2 | 50 | | | | | | | | | | | | | | |
| 3 | 35 | | | | | | | | | | | | | | |
| Protector pocket material (if present) | 10 | | | | | | | | | | | | | | |
| Restraint. General point 4.6.1 | Garment | EN 17092-1:2020, point 5.5 | EN 17092-2:2020, point 4.6 | AR-24-YL-010690-01 | M | | | | | | | | | | |
| Two-piece suit requirements for joint between upper part and lower part point 4.6.2 | 2-Pieces suit: Jacket + Trousers | EN 17092-1:2020, point 5.5.3.1 | EN 17092-2:2020, point 4.6.2 | AR-24-YL-010690-01 | M | | | | | | | | | | |
| Garment sleeve restraint point 4.6.3 | 2-Pieces suit | EN 17092-1:2020, point 5.5.3.2 | EN 17092-2:2020, point 4.6.3 | AR-24-YL-010690-01 | M | | | | | | | | | | |
| Structural closures point 4.7.2 | Garment | EN 17092-2:2020, point 4.7.2 | | Point 9 of this report | M | | | | | | | | | | |
| Vents point 4.7.3 | Garment | EN 17092-2:2020, point 4.7.3 | | NA | NA | | | | | | | | | | |
| Pockets point 4.7.4 | 2-piece suit garment | EN 17092-2:2020, point 4.7.4 | | Point 9 of this report | M | | | | | | | | | | |
| Zone intrusions point 4.7.5 | Garment | EN 17092-1:2020, point 5.2.3.2 and EN 17092-1:2020 and Table 3 | EN 17092-2:2020, point 4.7.5 | NA | NA | | | | | | | | | | |
| Collar material point 4.7.6 | Garment | EN 17092-1:2020, point 5.2.3.2 | EN 17092-2:2020, point 4.7.6 | NA | NA | | | | | | | | | | |
| Use of open mesh materials point 4.7.7 | Garment | EN 17092-2:2020, point 4.7.7 | | NA | NA | | | | | | | | | | |
| Use of retroreflective materials (optional) point 4.7.8 | Garment | EN 1150:1999 | EN 1150:1999, point 6 | NA | NA | | | | | | | | | | |
| Fit and ergonomics point 4.7.9 | Garment | EN 17092-1:2020, point 5.6 | EN 17092-2:2020, point 4.8 The assessor to the questions detailed in EN 17092-1:2020, point 5.6, Table 11, shall be positive | Point 5 of this report | M | | | | | | | | | | |
| Marking point 5 | EN 17092-2:2020, point 5 | | | NA | M | | | | | | | | | | |
| Information supplied by the manufacturer point 6 | EN 17092-2:2020, point 6 | | | NA | M | | | | | | | | | | |

11. CONCLUSION

Based on the results obtained in the exams, evaluations, and revisions the following can be deduced:

The PPE type **JACKET AND TROUSER**, with reference **CE-GP PRO Next Level Jacket and Trouser**, classified as **Category II** Individual Protective Equipment and whose characteristics are stated in point 1 of this report, **COMPLIES** with the essential requirements established by Regulation (EU) 2016/425 of 9 March 2016 through the application of the standards and risks as stated in point 2 of this report.

On 7th of February 2025

Signature of the conformity evaluator: